


COLUMN h/a CLOVER

Our hero product, the COLUMN h/a workstation, has evolved into a circular configuration for 3 or 4 users. This setup encourages an egalitarian workflow and effortless collaboration - or, with the addition of acoustic planters, can just as easily support a more focused and private working style.

Lead time: In stock soon.

Origin: base China, tops and planters Australia



DIMENSIONS

Cluster of 3: 1400–1900mm wide

Cluster of 4: 1100–1600mm wide

Height: 665–1315mm (with 25mm thick top)

Planter height: 1140mm

Screen height: from desk top 295mm

FINISHES

White, black (stock) or paperback, terracotta (indent) powder coat colours to base.

Screens finish: house range of 12mm thick PET panel colours

Planter finish: Laminex core commercial range top cap, with sides laminated to match or grooved house PET panel acoustic pinboard

CONFIGURATION:

Circular clusters of 3 and 4 desks

ACCESSORIES

TRAX_lite softwiring system, SOCK leads sleeve



MATERIALS

Mild steel structural parts
Top finish: Laminex core commercial range, 25mm thick with square matching ABS or to client specification.
Control pad: USB charging module, digital display with 4 memory functions and timer option.
Motor: dual, with smooth and low noise operation.
PET screens

SAFETY CONSIDERATIONS

Up and down anti-collision settings to 8 sensitivity levels, anti-pinch 30mm threshold between tops. Low and high-level limit pre-set or locked height option.
System overheating protection.

WARRANTY

5 years on parts and labor, with extended options available on request.

SPEED: 38mm/s.

LOAD CAPACITY: 120kg.

COLUMN h/a Clover 3 way	COLUMN h/a Clover 3 way with planter	COLUMN h/a Clover 3 way with PET planter	COLUMN h/a Clover 3 way with grooved screens
COLUMN h/a Clover 4 way	COLUMN h/a Clover 4 way with planter	COLUMN h/a Clover 4 way with PET planter	COLUMN h/a Clover 4 way with grooved screens

